


■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

平角



○印…在庫品

★印…メーカー在庫品

A × B	長さ	重量	生地	B2	A × B	長さ	重量	生地	B2
1.5 × 50	4000	0.820		★	5 × 35	4000	1.900	○	
					5 × 40	"	2.180	○	○
2 × 10	4000	0.218	○	○	5 × 50	"	2.720	○	○
2 × 15	"	0.326	○	○	5 × 60	"	3.260	○	○
2 × 20	"	0.436	○	○	5 × 70	"	3.810	○	○
2 × 25	"	0.544	○	○	5 × 100	"	5.440	○	○
2 × 30	"	0.652	○	○					
2 × 35	"	0.763		★	6 × 9	4000	0.588	○	○
2 × 40	"	0.864	○	○	6 × 10	"	0.660	★	
2 × 50	"	1.090	○	○	6 × 12	"	0.800	★	
2 × 67	"	1.470		★	6 × 15	"	0.980	○	○
2 × 88	"	1.919		★	6 × 20	"	1.300	○	○
					6 × 25	"	1.630	○	○
3 × 10	4000	0.326	○	○	6 × 30	"	1.960	○	○
3 × 12	"	0.392	○	○	6 × 32	"	2.100	★	
3 × 15	"	0.488	○	○	6 × 35	"	2.280	★	
3 × 20	"	0.652	○	○	6 × 40	"	2.610	○	★
3 × 25	"	0.816	○	○	6 × 50	"	3.260	○	○
3 × 30	"	0.980	○	○	6 × 60	"	3.920	○	
3 × 35	"	1.150	★	★	6 × 75	"	4.880	○	★
3 × 40	"	1.300	○	○	6 × 100	"	6.520	○	○
3 × 50	"	1.630	○	○	6 × 160	"	10.400	○	
3 × 60	"	1.960	○	○					
3 × 70	"	2.280	★	○	8 × 15	4000	1.350	★	
3 × 100	"	3.260		○	8 × 20	"	1.740	○	○
					8 × 25	"	2.180	★	
4 × 10	4000	0.450	★		8 × 30	"	2.610	○	
4 × 12	"	0.524	○	○	8 × 32	"	2.780	○	
4 × 15	"	0.660	★	★	8 × 35	"	3.050	★	
4 × 20	"	0.872	○	○	8 × 40	"	3.480	○	
4 × 25	"	1.090	○	○	8 × 50	"	4.360	○	
4 × 30	"	1.300	○	○	8 × 60	"	5.240	★	
4 × 40	"	1.740	○	○	8 × 75	"	6.550	★	
4 × 50	"	2.180	○	○	8 × 100	"	8.720	★	
4 × 60	"	2.610	○						
4 × 70	"	3.050	○	○	9 × 20	4000	1.960	○	
					9 × 30	"	2.950	★	
5 × 10	4000	0.544	○	○	9 × 40	"	3.950	★	
5 × 15	"	0.816	○	○	9 × 50	"	4.880	○	
5 × 20	"	1.090	○	○	9 × 60	"	5.880	★	
5 × 25	"	1.360	○	○	9 × 75	"	7.350	★	
5 × 30	"	1.630	○	○	9 × 100	"	9.800	★	

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。


型材

平角

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

平角



○印…在庫品

★印…メーカー在庫品

A × B	長さ	重量	生地	B2	A × B	長さ	重量	生地	B2
10 × 15	4000	1.630	○		20 × 25	4000	5.450	★	
10 × 20	"	2.180	○	○	20 × 30	"	6.520	○	
10 × 25	"	2.720	○	○	20 × 35	"	7.620	★	
10 × 30	"	3.260	○	○	20 × 40	"	8.720	○	
10 × 35	"	3.810	★		20 × 50	"	10.900	○	
10 × 40	"	4.360	○		20 × 60	"	13.050	★	
10 × 45	"	4.900	★		20 × 70	"	15.240	○	
10 × 50	"	5.440	○		20 × 80	"	17.440	★	
10 × 60	"	6.520	○		20 × 100	"	21.700	★	
10 × 64	"	6.980	★		20 × 150	"	32.600	★	
10 × 70	"	7.620	★		20 × 200	2500	27.100	★	
10 × 75	"	8.160	○						
10 × 80	"	8.720	★		25 × 30	4000	8.160	○	
10 × 100	"	10.900	○		25 × 35	"	9.520	★	
10 × 120	"	12.960	★		25 × 40	"	10.900	★	
10 × 125	"	13.600	○		25 × 50	"	13.600	○	
10 × 150	"	16.300	○		25 × 60	"	16.300	★	
					25 × 80	"	21.700	★	
12 × 15	4000	1.980	★		25 × 100	2500	17.000	★	
12 × 20	"	2.650	★		25 × 150	"	25.500	★	
12 × 25	"	3.260	★		25 × 200	"	33.900	★	
12 × 30	"	3.950	★						
12 × 40	"	5.250	★		30 × 40	4000	13.000	○	
12 × 50	"	6.550	★		30 × 50	"	16.300	★	
12 × 60	"	7.850	★		30 × 60	"	19.600	★	
12 × 75	"	9.780	★		30 × 65	"	21.200	○	
12 × 100	"	13.000	○		30 × 75	"	24.400	★	
12 × 120	"	15.700	★		30 × 100	"	32.600	★	
12 × 150	"	19.600	★		30 × 150	2500	30.500	★	
					30 × 200	"	40.700	★	
13 × 26	4000	3.700	★						
13 × 40	"	5.700	★		35 × 40	4000	15.240	★	
					35 × 50	"	19.040	★	
15 × 20	4000	3.260	○		35 × 60	"	22.850	★	
15 × 25	"	4.080	○		35 × 75	"	28.560	★	
15 × 30	"	4.880	○		35 × 85	"	32.370	★	
15 × 40	"	6.520	○		35 × 100	2500	23.800	★	
15 × 50	"	8.180	★						
15 × 60	"	9.780	★		40 × 50	4000	21.700	★	
15 × 75	"	12.200	★		40 × 60	"	26.100	★	
15 × 100	"	16.300	○		40 × 75	"	32.600	○	
15 × 150	"	24.500	○		40 × 100	2500	27.100	★	
15 × 200	2500	20.400	★		50 × 100	"	33.900	★	
					76 × 100	"	51.500	★	

※アルマイトシルバー、カラー発色加工出来ます。納期お問い合わせ下さい。

型
材
平
角

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

角棒					角棒				
A × B	長さ	重量	生地	B2	A × B	長さ	重量	生地	B2
5 × 5	2000	0.150	★		30 × 30	4000	9.800	○	
6 × 6	4000	0.392	○	○	32 × 32	"	11.150	★	
7 × 7	"	0.550	★		35 × 35	"	13.330	★	
8 × 8	"	0.696	○	○	38 × 38	"	15.700	★	
9 × 9	"	0.880	★		40 × 40	"	17.400	○	
10 × 10	"	1.090	○	○	45 × 45	"	22.000	★	
12 × 12	"	1.570	○	○	50 × 50	"	27.200	○	
13 × 13	"	1.850	★		55 × 55	"	32.800	★	
14 × 14	"	2.150	★		60 × 60	"	39.200	○	
15 × 15	"	2.450	○	○	65 × 65	2500	28.600	★	
16 × 16	"	2.780	○		70 × 70	"	33.300	★	
18 × 18	"	3.550	★		75 × 75	"	38.000	★	
19 × 19	"	3.930	○		80 × 80	"	43.400	★	
20 × 20	"	4.360	○		85 × 85	3000	59.000	★	
22 × 22	"	5.280	○		90 × 90	2500	55.000	★	
25 × 25	"	6.800	○		100 × 100	"	67.600	★	


※ご希望の寸法に切断販売致します。(20角以上) お問い合わせ願います。

※アルマイトシルバー、カラー発色加工出来ます。納期お問い合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

等辺アングル R付



○印…在庫品

★印…メーカー在庫品


t×A×B	長さ	重量	R1	R2	生地	B2	t×A×B	長さ	重量	R1	R2	生地	B2
4×40×40	4000	3.350	4.0	2.0	★		6×70×70	4000	8.750	6.0	3.0	★	
							6×75×75	"	9.460	6.0	3.0	○	
5×40×40	4000	4.100	5.0	2.5	★								
5×50×50	"	5.250	6.5	3.0	★		8×65×65	5000	13.300	8.0	4.0	★	
							8×80×80	4000	13.200	8.5	4.0	○	
6×40×40	4000	4.860	6.5	3.0	★								
6×50×50	"	6.240	6.5	4.5	○		9×75×75	4000	13.800	8.5	4.0	○	
6×50×50	5000	7.700	6.5	4.5	★		9×90×90	"	16.800	9.0	4.5	★	
6×60×60	4000	7.400	8.5	4.0	○								
6×65×65	"	8.200	8.5	4.5	○		10×100×100	5000	25.700	10.0	6.0	○	
6×65×65	5000	10.200	8.5	4.5	★								

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

等辺アングル Rナシ



○印…在庫品
★印…メーカー在庫品


t × A × B	長さ	重量	生地	B2	t × A × B	長さ	重量	生地	B2
0.8 × 9 × 9	3640	0.14		★	2.3 × 80 × 80	4000	4.080		★
0.8 × 12 × 12	"	0.19		★					
0.8 × 19 × 19	"	0.30		★	3 × 15 × 15	4000	0.880	○	○
					3 × 20 × 20	"	1.210	○	○
0.9 × 38 × 38	"	0.67		★	3 × 25 × 25	"	1.540	○	○
					3 × 30 × 30	"	1.860	○	○
1.0 × 15 × 15	"	0.287		○	3 × 35 × 35	"	2.180	○	★
1.0 × 20 × 20	"	0.386		○	3 × 40 × 40	"	2.510	○	○
1.0 × 25 × 25	"	0.485		○	3 × 50 × 50	"	3.170	○	○
1.0 × 30 × 30	"	0.584		○					
					4 × 25 × 25	4000	2.000	★	★
1.2 × 10 × 10	4000	0.260	○	○	4 × 30 × 30	"	2.450	★	
1.2 × 12 × 12	"	0.300	○	○	4 × 35 × 35	"	2.880	★	
1.2 × 25 × 25	"	0.660		★	4 × 40 × 40	"	3.300	○	○
					4 × 50 × 50	"	4.180	○	○
1.5 × 10 × 10	4000	0.350	★						
1.5 × 15 × 15	"	0.468	○	○	5 × 25 × 25	4000	2.450	★	
1.5 × 20 × 20	"	0.648	○	○	5 × 30 × 30	"	2.990	○	○
1.5 × 25 × 25	"	0.789	○	○	5 × 35 × 35	"	3.540	★	
1.5 × 30 × 30	"	0.960	○	○	5 × 40 × 40	"	4.100	○	○
1.5 × 38 × 38	"	1.260		★	5 × 50 × 50	"	5.240	○	○
1.5 × 45 × 45	"	1.480		★	5 × 60 × 60	"	6.240	○	★
1.5 × 50 × 50	"	1.650	★	★	5 × 75 × 75	"	7.900	○	★
2 × 10 × 10	4000	0.388	★	○	6 × 40 × 40	4000	4.820	○	
2 × 15 × 15	"	0.608	○	○	6 × 50 × 50	"	6.150	★	
2 × 20 × 20	"	0.820	○	○	6 × 60 × 60	"	7.450	★	
2 × 25 × 25	"	1.050	○	○	6 × 65 × 65	"	8.200	○	
2 × 30 × 30	"	1.260	○	○					
2 × 35 × 35	"	1.500		★	8 × 80 × 80	4000	13.300	★	
2 × 40 × 40	"	1.750	○	○					
2 × 50 × 50	"	2.120	○	○	9 × 75 × 75	4000	13.800	★	
2 × 55 × 55	"	2.450		★					
2 × 60 × 60	"	2.650		★	10 × 100 × 100	4000	20.500	○	
2.2 × 70 × 70	4000	3.400		★					

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

不等辺アングル Rナシ




○印…在庫品
★印…メーカー在庫品

t × A × B	長さ	重量	生地	B2	t × A × B	長さ	重量	生地	B2
1.2 × 6 × 15	4000	0.259		★	2 × 20 × 25	4000	0.940	★	★
					2 × 20 × 30	"	1.080	○	○
1.5 × 9 × 20	4000	0.447		★	2 × 20 × 40	"	1.260	○	○
1.5 × 9 × 25	"	0.528		★	2 × 20 × 50	"	1.520	○	○
1.5 × 9 × 30	"	0.610		★	2 × 25 × 50	"	1.580	○	○
1.5 × 9 × 40	"	0.773		★	2 × 30 × 50	"	1.700	○	○
1.5 × 10 × 15	"	0.380	○	○	2 × 40 × 70	"	2.400	★	
1.5 × 10 × 20	"	0.464	○	○					
1.5 × 10 × 25	"	0.564	○	★	2.5 × 13 × 35	4000	1.240	○	○
1.5 × 10 × 30	"	0.660	○	○					
1.5 × 10 × 40	"	0.820	○	○	3 × 15 × 30	4000	1.400		★
1.5 × 15 × 20	"	0.556	○	○	3 × 20 × 30	"	1.530	○	○
1.5 × 15 × 25	"	0.628	○	○	3 × 20 × 40	"	1.860	○	○
1.5 × 15 × 30	"	0.736		★	3 × 20 × 50	"	2.260	○	○
1.5 × 15 × 45	"	0.980		★	3 × 25 × 30	"	1.700		★
1.5 × 19 × 63.5	"	1.360		★	3 × 25 × 50	"	2.360	○	○
1.5 × 25.4 × 76.2	"	1.680		★	3 × 30 × 40	"	2.260	★	
					3 × 40 × 80	"	3.820		★
1.6 × 9 × 20	4000	0.480	○	○					
					4 × 35 × 50	4000	3.520	○	○
1.8 × 15 × 18	4000	0.640		★					
					5 × 40 × 60	4000	5.150	○	
2 × 10 × 15	4000	0.500	○	★	5 × 50 × 75	"	6.520	○	○
2 × 10 × 50	"	1.252	○	○					
2 × 15 × 20	"	0.740	○	○					
2 × 15 × 25	"	0.850	★	★					
2 × 15 × 30	"	0.940	○	○					
2 × 15 × 35	"	1.050		★					
2 × 15 × 40	"	1.160		★					

※アルマイトシルバー、カラー発色加工出来ます。納期お問い合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]


不等辺アングル R付						
						
<p>○印…在庫品 ★印…メーカー在庫品</p>						
t × A × B	長さ	重量	R1	R2	生地	B2
5 × 50 × 75	4000	6.550	5.0	2.5	★	
6 × 60 × 90	5000	11.800	9.0	4.5	★	
10 × 75 × 100	4000	18.000	10.0	7.0	★	
12 × 75 × 125	〃	24.600	10.0	7.0	★	

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

角パイプ (四角管)



○印…在庫品
★印…メーカー在庫品


A × B × t	長さ	重量	生地	B2	A × B × t	長さ	重量	生地	B2
9 × 9 × 1.2	4000	0.407		★	40 × 40 × 2	5000	4.110	○	○
					40 × 40 × 2.5	"	5.080	○	
10 × 10 × 1	5000	0.500	○	○	40 × 40 × 3	"	6.050	○	○
12 × 12 × 1.2	5000	0.700	○	○	50 × 50 × 2	5000	5.190	○	○
					50 × 50 × 2.5	"	6.440	○	○
15 × 15 × 1.5	5000	1.100	○	○	50 × 50 × 3	"	7.640	○	○
19 × 19 × 1.5	5000	1.450	★		60 × 60 × 2	5000	6.290	○	○
19 × 19 × 2.4	"	2.170	○						
					70 × 70 × 2	5000	7.400	○	○
20 × 20 × 1.5	5000	1.500	○	○	70 × 70 × 2.5	"	9.450	○	
20 × 20 × 2	"	1.960	○	○					
					75 × 75 × 2	5000	8.100		★
25 × 25 × 1.5	5000	1.910	○	○	75 × 75 × 2.5	"	10.100	○	
25 × 25 × 2	"	2.500	○	○					
25 × 25 × 2.5	"	3.070	○	○	80 × 80 × 2.5	5000	10.900	○	
30 × 30 × 1.5	5000	2.310	○	○	100 × 100 × 2.5	5000	13.200	○	
30 × 30 × 2	"	3.040	○	○	100 × 100 × 3	"	15.700	○	○
30 × 30 × 3	"	4.410	○	○					
					125 × 125 × 2.5	4000	13.600		★
35 × 35 × 2	5000	3.700		○					
					150 × 150 × 3	4000	19.600		★

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

角パイプ (平角管)



○印…在庫品

★印…メーカー在庫品


A × B × t	長さ	重量	生地	B2	A × B × t	長さ	重量	生地	B2
10 × 15 × 1.2	5000	0.745	○	○	30 × 50 × 2	5000	4.150	○	○
10 × 30 × 1.5	"	1.510		○	30 × 60 × 2	"	4.650	○	○
10 × 40 × 2	"	2.067		★	30 × 60 × 2.5	"	5.800	○	○
					30 × 65 × 2	"	5.000	★	
12 × 18 × 1.2	4000	0.721		★	30 × 70 × 2	"	5.190	○	○
12 × 25 × 1.2	5000	1.150	★		30 × 70 × 3	"	7.700	○	
					30 × 100 × 2	"	6.900	○	○
15 × 20 × 1.5	5000	1.300	○	○	30 × 100 × 2.5	"	8.440	○	○
15 × 20 × 2	"	1.700		★	30 × 100 × 2.8	"	9.450	○	
15 × 25 × 1.5	"	1.510	○	○					
15 × 30 × 1.5	"	1.700	○	○	35 × 70 × 2	5000	5.480	○	
20 × 25 × 2	5000	2.250		★	40 × 60 × 2	5000	5.180	○	★
20 × 30 × 1.5	"	1.950	★	★	40 × 60 × 2.5	"	6.400	○	○
20 × 30 × 2	"	2.500	○	○	40 × 60 × 3	"	7.640	○	
20 × 30 × 2.5	"	3.070	★	★	40 × 60 × 4	"	9.940	○	
20 × 40 × 2	"	3.100	○	○	40 × 70 × 3	"	8.500	★	
20 × 40 × 2.5	"	3.750	○	○	40 × 80 × 2	"	6.260	○	★
					40 × 80 × 2.5	"	7.800	○	○
22 × 30 × 2.5	5000	3.200	○		40 × 80 × 3	"	9.300	★	
25 × 30 × 1.3	4000	1.482		★	50 × 70 × 2	5000	6.300		★
25 × 30 × 3	5000	4.000	○		50 × 100 × 2	"	7.880	○	○
25 × 40 × 2	"	3.370	○	★	50 × 100 × 2.5	"	9.880	○	○
25 × 40 × 3	"	4.800	○		50 × 100 × 3	"	11.700	○	○
25 × 50 × 2	"	3.900	○	○	50 × 150 × 2.5	"	13.200	○	
25 × 60 × 2	"	4.410	○	○	50 × 150 × 3	"	15.800	○	
30 × 40 × 2	5000	3.570	○	○	60 × 120 × 2.5	5000	11.900	★	
30 × 40 × 3	"	5.200	○		60 × 120 × 2.8	"	13.200	○	

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

チャンネル Rナシ



○印…在庫品

★印…メーカー在庫品

t × A × B	長さ	重量	生地	B2	t × A × B	長さ	重量	生地	B2
1.0 × 7 × 7	4000	0.207		★	2 × 30 × 15	4000	1.220	○	○
1.0 × 10 × 10	"	0.305		★	2 × 35 × 20	"	1.550	★	★
1.0 × 5.5 × 8	"	0.212		★	2 × 40 × 20	"	1.700	○	○
1.0 × 7.5 × 10	"	0.277		★	2 × 40 × 30	"	2.300		★
1.0 × 7.5 × 25	"	0.604		★					
1.0 × 8.5 × 10	"	0.288		★	2.4 × 30 × 30	4000	2.220	○	○
1.0 × 11 × 5	"	0.207		★	2.4 × 30 × 20	"	1.700		★
1.0 × 12 × 10	"	0.326		★	2.4 × 35 × 20	"	1.890	○	○
1.0 × 14 × 10	"	0.239		★					
1.0 × 18 × 12	"	0.435		★	2.5 × 50 × 20	4000	2.380		★
1.0 × 22 × 13	"	0.500		★	2.5 × 50 × 25	"	2.600	★	★
1.2 × 10 × 15	4000	0.409		★	3 × 26 × 23	4000	2.200	○	
					3 × 30 × 25	"	2.450	★	
1.5 × 10 × 10	4000	0.450	★		3 × 40 × 20	"	2.420	○	○
1.5 × 15 × 15	"	0.700	★		3 × 50 × 25	"	3.070	○	○
1.5 × 15 × 24	"	1.000		★	3 × 60 × 30	"	3.720	○	○
1.5 × 20 × 12	"	0.690	★	★	3 × 100 × 50	"	6.350		★
1.5 × 24 × 10	"	0.690		★					
1.5 × 25 × 15	"	0.880		★	3.2 × 75 × 40	4000	5.160	○	
1.6 × 10 × 10	4000	0.468	○	○	3.6 × 90 × 30	4000	5.600	★	
					4 × 80 × 40	"	6.600	★	
2 × 12 × 12	4000	0.700	★	★					
2 × 15 × 15	"	0.900	○	○	5 × 75 × 50	4000	8.910	○	
2 × 20 × 20	"	1.260	○	○	5 × 100 × 50	"	10.300	○	
2 × 25 × 25	"	1.550	○	○					
2 × 18 × 10	"	0.740	○	○	6 × 75 × 40	4000	9.350	★	
2 × 20 × 12	"	0.870		★	6 × 80 × 40	"	9.670	★	
2 × 22 × 12	"	0.912	○	★	6 × 125 × 65	"	15.900	★	
2 × 25 × 15	"	1.120		★	6 × 125 × 65	5000	19.900	○	
					8 × 150 × 75	4000	24.700	★	
					8 × 150 × 75	5000	31.900	○	

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。


型
材

チャンネル

■アルミ合金押出型材 在庫寸法表

[A6063S-T5]

チャンネル R付						
t (t_1/t_2) × A × B	長さ	重量	R1	R2	生地	B2
4 × 80 × 40	4000	6.640	4.0	2.0	○	
5 × 100 × 50	5000	12.900	5.0	3.0	○	
6 × 75 × 40	4000	9.340	5.0	3.0	○	
6 × 125 × 65	5000	19.800	6.0	3.0	○	
6/9 × 125 × 65	5000	24.000	6.0	3.0	○	
8 × 150 × 75	5000	31.900	8.0	7.0	○	



○印…在庫品
★印…メーカー在庫品

※アルマイトシルバー、カラー発色加工出来ます。納期お問合わせ下さい。

■ 建築用アルミ板 在庫表

生地材

A3003のみ()内の重量が
1枚あたりの参考重量になります。

板厚(mm)	寸法	参考重量	A1100P-H14	A1050輸入材	A3003-H24
0.8	1000 × 2000	4.352	* ○ ●	★	
	" × 3000	6.528	* ○		
	1250 × 2500	6.800	* ○	★	
1.0	1000 × 2000	5.440	* ○ ●	★	
	" × 2250	6.120	*		
	" × 3000	8.160	* ○		
	1250 × 2500	8.500	* ○ ●	★	
1.2	1000 × 2000	6.528	* ○	★	
	" × 3000	9.792	* ○		
	1250 × 2500	10.200	* ○	★	
1.5	1000 × 2000	8.160	* ○ ●	* ★	
	" × 3000	12.240	* ○		
	" × 4000	16.320	○		
	1250 × 2500	12.750	* ○ ●	★	
	" × 3000	15.300	○		
	" × 3500	17.850	○		
	" × 4000	20.400	○		
	" × 5000	25.500	○		
	1500 × 3000	18.360	○		
	1600 × 3050	19.910	○		
" × 4000	26.112	○			
2.0	1000 × 2000	10.880	* ○ ●	* ■	○ (10.920)
	" × 2500	13.600	○		
	" × 3000	16.320	* ○	■	○ (16.380)
	" × 3250	17.680	○		
	" × 3500	19.040	○		
	" × 4000	21.760	○		○ (21.840)
	1250 × 2000	13.600	○		
	" × 2500	17.000	* ○ ●	■	○ (17.630)
	" × 3000	20.400	○	■	○ (20.475)
	" × 3250	22.100	○		
	" × 3500	23.800	○		
	" × 4000	27.200	○	■	○ (27.300)
	" × 5000	34.000	○		
	1500 × 3000	24.480	○		
	1600 × 2500	21.760	○		
	" × 3000	26.112	○		○ (26.208)
	" × 3050	26.548	○		
	" × 3500	30.464	○		
	" × 4000	34.816	○		○ (34.944)
	" × 5000	43.520	○		○ (52.416)
2000 × 3000	32.640	○			
" × 5000	54.400	○			

- * ビニール無し ○ 片面白ビニール
- ◎ 両面白ビニール ● 片面青ビニール
- 片面クリームビニール ★ メーカー在庫品



[A1100-H14] は
アルマイトの色ムラが出ない
ように作られていて、メーカーより
保証されている板です。

板・コイル

建材用
生地

■建築用アルミ板 在庫表

生地材

A3003のみ()内の重量が
1枚あたりの参考重量になります。

板厚(mm)	寸法	参考重量	A1100P-H14	A1050輸入材	A3003-H24
2.5	1000 × 2000	13.600	* ○		○(13.650)
	" × 3000	20.400	○		○(20.475)
	" × 4000	27.200	○		
	1250 × 2500	21.250	* ○		○(21.329)
	" × 3000	25.500	○		○(25.594)
	" × 3500	29.750	○		
	" × 4000	34.000	○		○(34.125)
	" × 5000	42.500	○		
	1600 × 3000	32.640			○(32.760)
	" × 3050	33.184	○		
	" × 3500	38.080	○		
	" × 4000	43.520	○		○(43.680)
	" × 5000	54.400	○		
	" × 6000	65.280	○		○(65.520)
	2000 × 4000	54.400	★		
3.0	1000 × 2000	16.320	* ○ ●	■	○(16.380)
	" × 3000	24.480	* ○		○(24.570)
	" × 4000	32.640	○		○(32.760)
	1250 × 2500	25.500	* ○	■	○(25.594)
	" × 3000	30.600	○		
	" × 3500	35.700	○		
	" × 4000	40.800	○		○(40.950)
	" × 5000	51.000	○		
	1500 × 3000	36.720	○		
	1600 × 3000	39.168			○(39.312)
	" × 3050	39.821	○		
	" × 3500	45.696	○		
	" × 4000	52.224	○		○(52.416)
	" × 5000	65.280	○		
" × 6000	78.336	○		○(78.624)	
	2000 × 3000	48.960	○		
	" × 5000	81.600	○		
4.0	1000 × 2000	21.760	* ○		
	" × 3000	32.640	○		
	" × 4000	43.520	○		
	1250 × 2500	34.000	* ○		
5.0	1000 × 2000	27.200	* ○		
	" × 3000	40.800	* ○		
	" × 4000	54.400		◎	
	1250 × 2500	42.500	* ○		
	" × 3000	51.000	○		
	" × 4000	68.000		◎	
	" × 5000	85.000		◎	

- * ビニール無し
- ◎ 両面白ビニール
- 片面青ビニール
- 片面クリームビニール
- 片面白ビニール
- ★ メーカー在庫品

[A3003-H24]は
高温フッ素塗装用に使用される板で、
主にパネルを高温(230から240度位)で
焼付け塗装するとA1050やA1100では
歪みが出ますが、A3003では歪みが出ません。



板・ニール
建材用 生地